THE SOUTHWESTERN NATURALIST 45(4):562–578 DECEMBER 2000

INDEX TO VOLUME 45

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies, 62
  guatemalensis, 239
Abiotic factors affecting summer distribution and movement of male paddlefish, *Polyodon spathula*, in a prairie reservoir, Craig P. Paukert and William L. Fisher, 133–140
Abundance and dispersion of shells of the white desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), William D. Wiesenborn, 450–455
Acacia
  angustissima, 424, 425, 427
  cochliacantha, 304
  cornigera, 302
  cornygira, 132
  farnesiana, 472
  minuata, 438, 439, 441
  rigidula, 472
Acer, 174
  negundo, 8, 9, 46, 402, 403, 408
  rubrum, 403–405
  saccharinum, 402, 403
  saccharum, 386, 400, 401, 404
Achilla lanulosa, 67
Acinonyx jubatus, 261
Acoelorhaphe wrightii, 80
Acrostichum danaeifolium, 80
Adenostoma fasciculatum, 124–126, 509
Aeolus livens, 464
Aesculus glabra, 401, 404
Agalinis maritima, 434, 435, 442
Agavaceae, 441
Agave lechuguilla, 339
Agelenidae, 462
Agrawal, Anurag A., Jennifer A. Rudgers, Louis W. Botsford, David Cutler, Jessica B. Gorin, Carolyn J. Lundquist, Brian W. Spitzer, and Alisa L. Swann, Benefits and constraints on plant defense against herbivores: spines influence the legitimate and illegitimate flower visitors of yellow star thistle, *Centaurea solstitialis* L. (Asteraceae), 1–5
Agropyron smithii, 47
Aizoaceae, 441
Alaephus macilentus, 309
Allium drummondii, 105
Allocosa, 462
Alloglossoides caridicola, 69–71
Alnus
  maritima, 388, 390, 410
  oblongifolia, 8, 9
  serrulata, 402, 405, 410
Aloina bifrons, 228
Alopecosa, 462
Alophia drummondii, 232
Alouatta palliata, 332–333
Aloysia gratissima, 31, 472
Aluminum foil balls to detemine home ranges of woodrats, use of, Scott E. Henke and Steven A. Smith, 352–355
Amara
  carinata, 463
  littoralis, 463
Amaranthaceae, 441
Amaranthus, 47
  greggii, 433, 441
Amblystegium
  americanum, 228
  juratzkanum, 228
Amblystegium serpens, 228
Ambrosia
  artemisiifolia, 407, 411, 414–416
  dumosa, 226, 451
  grayii, 414
  psilostachya, 47, 414, 419, 434, 435, 437, 441
  trifida, 47, 417, 419, 420
Ameiurus, 271
  melas, 278, 280, 282, 285
  natalis, 279
Amelanchier, 39
  arborea, 401, 405
Ammania coccinea, 415, 417, 418
Ammerman, Loren K., see Higginbotham, Jana L., —
Ammotrechula peninsulana, 445–448
Amorpha
  canescens, 47, 411, 412
  fruticosa, 388, 390, 402, 403, 408, 410, 411, 417
Ampelopsis
  arborea, 408
  cordata, 403, 404, 409, 410
Amphiachyris dracunculoides, 411, 412, 416, 419
Anacolia menziesii, 228
Anas americana, 235
Anaspis, 464
Anderson, James T., Thomas C. Tacha, and George T. Muehl, Use of wetland and deepwater habitat by wintering sandhill cranes in coastal Texas, 76–79
Andrachne phyllanthoides, 410
Andrenidae, 465
Andropogon
  gerardi, 217
  gerardii, 47, 222, 233, 387, 402, 405, 407, 411–413, 417
  glomeratus, 434, 435, 437, 442
  hallii, 409, 412
  virginicus, 407, 410, 412
Anemone heterophylla, 105
Anobiidae, 463
Anostraca, 111–117
Antennaria parlinii, 400, 401, 405–407
Antilope cervicapra, 473
Antrozous pallidus, 350
Aphaenogaster texanus, 119
Aphanostephus, 92, 93
  skirrhobasis, 435, 441
Aphelocoma ultramarina, 173
Aphonopelma nayaritum, 302, 304
Apiaceae, 441
Apis mellifera, 3
Aplodinotus grunniens, 279

THE SOUTHWESTERN NATURALIST 45(4):562–578 DECEMBER 2000

INDEX TO VOLUME 45

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies, 62
  guatemalensis, 239
Abiotic factors affecting summer distribution and movement of male paddlefish, *Polyodon spathula*, in a prairie reservoir, Craig P. Paukert and William L. Fisher, 133–140
Abundance and dispersion of shells of the white desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), William D. Wiesenborn, 450–455
Acacia
  angustissima, 424, 425, 427
  cochliacantha, 304
  cornigera, 302
  cornygira, 132
  farnesiana, 472
  minuata, 438, 439, 441
  rigidula, 472
Acer, 174
  negundo, 8, 9, 46, 402, 403, 408
  rubrum, 403–405
  saccharinum, 402, 403
  saccharum, 386, 400, 401, 404
Achilla lanulosa, 67
Acinonyx jubatus, 261
Acoelorhaphe wrightii, 80
Acrostichum danaeifolium, 80
Adenostoma fasciculatum, 124–126, 509
Aeolus livens, 464
Aesculus glabra, 401, 404
Agalinis maritima, 434, 435, 442
Agavaceae, 441
Agave lechuguilla, 339
Agelenidae, 462
Agrawal, Anurag A., Jennifer A. Rudgers, Louis W. Botsford, David Cutler, Jessica B. Gorin, Carolyn J. Lundquist, Brian W. Spitzer, and Alisa L. Swann, Benefits and constraints on plant defense against herbivores: spines influence the legitimate and illegitimate flower visitors of yellow star thistle, *Centaurea solstitialis* L. (Asteraceae), 1–5
Agropyron smithii, 47
Aizoaceae, 441
Alaephus macilentus, 309
Allium drummondii, 105
Allocosa, 462
Alloglossoides caridicola, 69–71
Alnus
  maritima, 388, 390, 410
  oblongifolia, 8, 9
  serrulata, 402, 405, 410
Aloina bifrons, 228
Alopecosa, 462
Alophia drummondii, 232
Alouatta palliata, 332–333
Aloysia gratissima, 31, 472
Aluminum foil balls to detemine home ranges of woodrats, use of, Scott E. Henke and Steven A. Smith, 352–355
Amara
  carinata, 463
  littoralis, 463
Amaranthaceae, 441
Amaranthus, 47
  greggii, 433, 441
Amblystegium
  americanum, 228
  juratzkanum, 228
Amblystegium serpens, 228
Ambrosia
  artemisiifolia, 407, 411, 414–416
  dumosa, 226, 451
  grayii, 414
  psilostachya, 47, 414, 419, 434, 435, 437, 441
  trifida, 47, 417, 419, 420
Ameiurus, 271
  melas, 278, 280, 282, 285
  natalis, 279
Amelanchier, 39
  arborea, 401, 405
Ammania coccinea, 415, 417, 418
Ammerman, Loren K., see Higginbotham, Jana L., —
Ammotrechula peninsulana, 445–448
Amorpha
  canescens, 47, 411, 412
  fruticosa, 388, 390, 402, 403, 408, 410, 411, 417
Ampelopsis
  arborea, 408
  cordata, 403, 404, 409, 410
Amphiachyris dracunculoides, 411, 412, 416, 419
Anacolia menziesii, 228
Anas americana, 235
Anaspis, 464
Anderson, James T., Thomas C. Tacha, and George T. Muehl, Use of wetland and deepwater habitat by wintering sandhill cranes in coastal Texas, 76–79
Andrachne phyllanthoides, 410
Andrenidae, 465
Andropogon
  gerardi, 217
  gerardii, 47, 222, 233, 387, 402, 405, 407, 411–413, 417
  glomeratus, 434, 435, 437, 442
  hallii, 409, 412
  virginicus, 407, 410, 412
Anemone heterophylla, 105
Anobiidae, 463
Anostraca, 111–117
Antennaria parlinii, 400, 401, 405–407
Antilope cervicapra, 473
Antrozous pallidus, 350
Aphaenogaster texanus, 119
Aphanostephus, 92, 93
  skirrhobasis, 435, 441
Aphelocoma ultramarina, 173
Aphonopelma nayaritum, 302, 304
Apiaceae, 441
Apis mellifera, 3
Aplodinotus grunniens, 279

Aporocactus flabelliformis, 79
Aquila chrysaetos, 206
Aquilar R., Sergio, see Eitniear, Jack C., —
Arachnida, 443–449
Araeoschizus
costipennis, 309
hardyi, 309
Aranda, J. Marcelo, see Hernández-Huerta, Arturo, —
Araneae, 128–132, 299–305
Araneidae, 462
Arbutus arizonica, 172
Archaeological and paleontological fish remains from the Salton Basin, southern California, Kenneth W. Gobalet and Thomas A. Wake, 514–520
Arctostaphylos, 39
insularis, 509
pungens, 172
Arecaceae, 421–430
Arenotherus
magnellus, 448
magnus, 448
mumai, 443, 445–448
puebloensis, 443, 445–448
Arisaema
dracontium, 404
triphyllum, 400
Aristida, 419, 444
longespica, 435, 442
oligantha, 407, 412, 414, 419, 420
purpurascens, 414
purpurea, 105
Armadillidiidae, 462
Armadillidium vulgare, 456, 460, 462, 465, 466
Arnoglossum plantagineum, 412
Artemesia ludoviciana, 47
Artemisia, 350
californica, 509
filifolia, 390, 391, 408, 409, 412
psilostachya, 414
Arthrolips decolor, 464
Artibeus
intermedius, 344
jamaicensis, 341, 344
lituratus, 344
Arundinaria gigantea, 400, 402, 403, 405, 408
Ascelpiadaceae, 441
Asclepias oenotheroides, 433, 435, 441
Asidina confluens, 309
Asidopsis opaca, 464
Asimina triloba, 400, 401, 404, 410
Asplanchna
priodonta, 369
sieboldi, 369
Asplanchnidae, 369
Asplanchnopus multiceps, 369, 371, 372
Aster
ericoides, 411–413
patens, 412
subulatus, 409, 414, 415, 417, 420
Asteraceae, 1–5, 15–23, 95, 431, 436, 440, 441
Asterella californica, 231
Astragalus nuttallianus, 103
Astronium graveolens, 340
Astyanax mexicanus, 278, 286
Ataenius, 464
Athous, 464
Atistida purpurascens, 412
Atriplex
***canescens*, 185, 315, 444**
confertifolia, 185
Atta, 132
Auchmobius picipes, 309
Autumn flowering population of prairie nymph (*Herbertia lahue* ssp. *caerulea*) in southwestern Louisiana, observations on an, Stephen R. Johnson, 232–234
Avena, 509
Aves, 238–241
Avicenia nitida, 79

Baccharis, 15–23
glutinosa, 458
halimifolia, 15, 17, 18, 20
neglecta, 17, 18, 20
pilularis, 17
salicifolia, 17
salicina, 17, 386, 409, 414, 420
Baccus, John T., see Eitniear, Jack C., —
Bacopa rotundifolia, 418
Baeolophus wollweberi, 154
Ballinger, Royce E., see Smith, Geoffrey R., —
Baptisia bracteata, 407, 434, 435, 441
Barce, 463
Barrows, Cameron W., Tenebrionid specie richness and distribution in the Coachella Valley sand dunes (Coleoptera: Tenebrionidae), 306–312
Basiliscus basiliscus, 360
Bassariscus astutus, 330
Batceae, 441
Batis maritima, 434, 435, 441
Batuliodes obesus, 309
Batulius setosus, 309
Bauerus dubioquercus, 342, 344
Bearded wood-partridge, *Dendrortyx barbatus*, (Aves: Phasianidae) in Mexico, new records of, Jack C. Eitniear, Sergio Aquilar R., Victor Gonzalez, Roberto Pedraza R., and John T. Baccus, 238–241
Beauchampiella eudactylota, 368
Behavior of captive mountain sheep in a Mojave Desert environment, Matthew J. Zine and Paul R. Krausman, 184–195
Beheler, Amanda S., Rod N. Williams, Olin E. Rhodes, Jr., Erin P. Reat, Alan M. Fedynich, Danny B. Pence, and James F. Bergan, Genetic polymorphism in two species of whistling-ducks from Texas, 234–238
Bekoff, Marc, see Halloran, Margaret E., and —
Belk, Denton, and Michael Fugate, Two new *Branchinecta* (Crustacea: Anostraca) from the southwestern United States, 111–117
Bello, Joaquín, see Hernández-Huerta, Arturo, —
Belonesox belizanus, 516, 520
Benefits and constraints on plant defense against herbivores: spines influence the legitimate and illegitimate flower visitors of yellow star thistle, *Centaurea solstitialis* L. (Asteraceae), Anurag A. Agrawal, Jennifer A. Rudgers, Louis W. Botsford, David Cutler, Jessica B. Gorin, Carolyn J. Lundquist, Brian W. Spitzer, and Alisa L. Swann, 1–5
Bennett, Kathryn D., see Biggs, James R., —
Berchemia scandens, 400, 402, 407
Bergan, James F., see Beheler, Amanda S., —
Berry, William H., see White, P. J., —
Betula nigra, 402, 408
Biggs, James R., Kathryn D. Bennett, Norah Torrez-Martinez, and Brian L. Hjelle, Sin nombre virus antibody prevalence in rodents of north-central New Mexico, 61–66
Birds from Cozumel Island, Mexico, new records of, Tania M. Macouzet and Patricia Escalante-Pliego, 79–81
Blapstinus fortis, 464
Blapstinus histricus, 309
Blarina hylophaga, 45, 49–51
Blepharoneuron tricholepis, 171
Blutaparon vermiculare, 431, 434, 435, 438, 439, 441
Boehmeria cylindrica, 388, 390, 402, 408, 410, 416
Borrichia frutescens, 434, 435, 437, 439, 441
Bos
bison, 258
taurus, 47
Bothrichloa ischaemum, 95, 96, 103–105
Bothriochloa, 106
ischaemum, 387, 388, 416
saccharoides, 411–414, 420
Botrychium virginianum, 403
Botsford, Louis W., see Agrawal, Anurag A., —
Bouteloua
curtipendula, 387, 388, 402, 406, 409, 412–414, 417, 419
eriopoda, 314, 414, 444

gracilis, 222, 388, 406, 408, 409, 411, 413, 414, 419, 444
hirsuta, 90, 387, 402, 406, 409, 413, 414, 417, 419, 420
rigidiseta, 402, 406, 409, 414
Brachionidae, 368
Brachionus
bidentatus, 368
patulus, 368
quadridentatus, 368
urceolaris, 368
Brachypelma klaasi, 304
Brachythecium
collinum, 228
fendleri, 228
rutabulum, 228
utahense, 228
Branchinecta (Crustacea: Anostraca) from the southwestern United States, two new, Denton Belk and Michael Fugate, 111–117
Branchinecta, 111–117
conservatio, 111, 114, 115
kaibabensis, 114–117
longiantenna, 115
lynchi, 114
mesovallensis, 112–115, 117
paludosa, 111, 117
Branta
canadensis, 235
sandvicensis, 263
Brantley, Sandra L., see Brookhart, Jack O., and —
Brasenia schreberi, 388, 418
Brassavola nodosa, 79
Breeding phenology of the lowland leopard frog (*Rana yavapaiensis*): implications for conservation and ecology, Shawn S. Sartorius and Philip C. Rosen, 267–273
Breeding population of Virginia's warblers in the southwestern Black Hills of South Dakota, a, David L. Swanson, Jeffrey S. Palmer, Eric T. Liknes, and Kurt L. Dean, 39–44
Bristow, Kirby D., see Germaine, Stephen S., —
Bromus, 47, 67, 509
Brookhart, Jack O., and Sandra L. Brantley, Solpugids (Arachnida) of the Sevilleta National Wildlife Refuge, New Mexico, 443–449
Brosimum alicastrum, 332
Brown, David E., and Carlos A. López González, Notes on the occurrences of jaguars in Arizona and New Mexico, 537–542
Bryophytes from the northern Mojave Desert, Lloyd R. Stark and Alan T. Whittemore, 226–232
Bryum
argenteum, 228
capillare, 228
turbinatum, 228
Buchloe dactyloides, 213, 222, 389, 406, 411, 413, 414
Buchnera americana, 435, 442
Bucida buceras, 340
Buckley, Anthony J., see Kopachena, Jeffrey G., —
Bufo
nebulifer, 71
valliceps, 71–74
Bumelia lanuginosa, 401, 406
Bursera simaruba, 79, 340
Bursey, Charles R., see Goldberg, Stephen R., —
Buteo jamaicensis, 486

Cactaceae, 105, 441
Caesalpinia gaumeri, 79
Calamovilfa gigantea, 408, 409, 412
Calathus opaculus, 460, 463
Call similarities among mixed species flock associates, Millicent Sigler Ficken, 154–158
Calliandra belizensis, 79
Callicarpa americana, 405
Calylophus serrulatus, 409, 435, 441
Camponotus
americanus, 120
pennsylvanicus, 291
texanus, 120, 121
vicinus, 465
Campostoma anomalum, 277, 278, 282, 285–287
Canis
familiaris, 486
latrans, 204, 205, 335, 473, 474
Carabidae, 459, 463
Carduus nutans, 217
Carex
crus-corvi, 415
crus-corvii, 388
gigantea, 404
lupulina, 400, 403–405, 411
ouachitana, 388, 390, 402
pensylvanica, 388, 390, 402
squarrosa, 403, 404
Carmona, Cynhia, see Carmona, Roberto, —
Carmona, Roberto, Cynthia Carmona, Alfredo Castillo-Guerrero, and Elvia M. Zamora-Orozco, Nesting records of American avocet and black-necked stilt in Baja California Sur, México, 523–524
Carollia
brevicauda, 344
perspicillata, 344
Carpinus caroliniana, 400, 402–405
Carpiodes carpio, 278
Carrasco, Marc A., Variation in the dentition of kangaroo rats (genus *Dipodomys*) and its implications for the fossil record, 490–507
Carter, Tracy S., see Leslie, David M., Jr., —
Carya
alba, 400, 401, 405
aquatica, 404
cordiformis, 387, 400, 401–404
glabra, 401
illinoensis, 31, 401–404
illinoiensis, 33
myristiciformis, 403, 404
ovata, 401, 403
texana, 401, 402, 405, 407
tomentosa, 401, 402
Cassia, 296
fasciculata, 290
Castilleja
lanata, 509
purpurea, 413
Castillo-Guerrero, Alfredo, see Carmona, Roberto, —
Catalpa speciosa, 4, 392
Catapodium rigidum, 103
Catastrophic decrease in an isolated population of kit foxes, P. J. White, William H. Berry, Julie J. Eliason, and Michael T. Hanson, 204–211
Catostomus
latipinnis, 516, 520
occidentalis, 516, 520
tahoensis, 516, 520
Ceanothus, 509
spinosus, 124–126
Cecropia obtusifolia, 340
Cedrela odorata, 79
Ceiba
aesculifolia, 79
pentandra, 340
Celtis, 31
laevigata, 400–404, 408, 410, 535
occidentalis, 46, 403, 404, 408
pallida, 90
reticulata, 119, 268, 402, 406–408
Cenchrus
pauciflora, 408, 412
spinifex, 434, 435, 442
Centaurea solstitialis, 1–5
Centaurium texense, 95, 102, 103
Centrarchidae, 271
Centrioptera muricata, 309
Centurio senex, 344
Cephalanthus occidentalis, 31, 388, 403, 405, 410, 411, 415, 418
Cephalodella
catellina, 369
forficula, 369
gibba, 369
hoodi, 369
Cephalogonimus
americanus, 362–365
brevicirrus, 363
Cerambycidae, 358
Ceratodon purpureus, 228
Ceratoides lanata, 185
Ceratophyllum demersum, 418
Cercis canadensis, 401, 402
Cerocarpus

betuloides, 124, 509
montanus, 39, 40, 406
Certhia, 157
americana, 154
Cervus
axis, 473
dama, 473
elephus, 473
Ceuthophilus, 463
Chace, Jameson F., Shawn T. McKinney, and Alexander Cruz, Nest-site characteristics and nesting success of the greater pewee in Arizona, 169–175
Chaerophyllum tantorii, 105
Chaetodipus
californicus, 206
hispidus, 45, 48–51
Chaetopappa, 106
bellidifolia, 95, 96, 102–104
Chaetopappus
asterioides, 420
asteroides, 414
Chamaecrista fasciculata, 90, 92, 93, 434–437, 441
Chamaedorea
bartlingiana, 427
elegans, 374, 427
oblongata, 427
radicalis, 373–375, 421–430
tepejilote, 422
Chamaesarcha coniodes, 105
Chamaesyce serphyllifolia, 458
Characteristics of intercanopy bare patches in *Juniperus* woodlands of the southern Edwards Plateau, Texas, O. W. Van Auken, 95–110
Chasmanthium
latifolium, 400, 402–404, 408, 410
sessiliflorum, 400
Chenopodiaceae, 441
Chenopodium leptophyllum, 414
Cheriodes californica, 309
Chilometopon
abnorme, 309
brachystomum, 309
pallidum, 309
Chilopsis linearis, 338
Chionanthus virginicus, 402
Chiroptera, 338–340, 345–347
Chlaenius, 463
Chloris
cucullata, 90
verticillata, 419
Chloroleucon manguense, 79
Choate, Jerry R., see Jackson, Victoria L., and —
Chrysomelidae, 464
Chrysothamnus nauseosus, 350
Cicadellidae, 293, 463
Cicuta maculata, 416
Cinna arundinacea, 404
Citharacanthus
crinirufus, 128
livingstoni, 128, 129, 132
longipes, 128, 132
meermani, 128–132
sclerothrix, 128
spinicrus, 128
Cladium jamaicense, 80
Cladophora, 269
Cladrastis lutea, 400
Clark, Bryon K., see Kaufman, Donald W., —
Clethra pringlei, 425
Climacium americanum, 228
Clubionidae, 462
Cnemidophorus, 527–533
gularis, 527, 529–532
inornatus, 376, 377, 527, 529–532, 555, 557
marmoratus, 527, 532
neotesselatus, 527, 532
scalaris, 527, 530, 531
septemvittatus, 376, 377, 527, 530–532, 555, 557
sexlineatus, 527
tesselatus, 527, 529–532
tigris, 527, 529–532
Cnemodinus testaceus, 309
Cnidoscolus texanus, 420
Cocculus carolinus, 404
Coccyzus americanus, 535–536
Coelorachis cylindrica, 412
Colaptes auratus, 32
Coleoptera, 306–312
Colinus virginianus, 90
Coloegyne ramosissima, 185
Colubridae, 141–153
Colubrina texana, 90
Colurella
bicuspidata, 368
obtusa, 368
Colurellidae, 368
Commelina erecta, 89, 92, 93, 434, 435, 441
Commelinaceae, 441
Conardia compacta, 228
Condalia
hookeri, 90
warnockii, 172
Conocarpus erectus, 79
Conochilidae, 369
Conochilus
dossuarius, 369
natans, 369
Conoclinium betonicifolium, 434, 435, 437, 441
Contopus
pertinax, 169–175
sordidulus, 173
Convolvulaceae, 441
Conyza canadensis, 271, 417, 419, 458
Cooperia pedunculata, 105
Copulatory behavior of white-nosed coatis, Christine C. Hass and Jason F. Roback, 329–331
Cordes, James E., see Walker, James M., —
Coreopsis
nuecensis, 92, 93
tinctoria, 415, 419, 420
Cornus
amomum, 404, 410, 411
drummondii, 407, 409, 410
florida, 400, 401
foemina, 405
Corvus corax, 173
Corylophidae, 464
Corynorhinus townsendii, 350, 524–527
Corytophanes, 358–361
cristatus, 358–361
hernandezii, 358–361
percarinatus, 358–361
Corytophanidae, 358–361
Coscinodon calyptratus, 228
Cosmocercoides variabilis, 362–365
Cotinus obovatus, 400
Craniotus pubescens, 309
Crassicrus lamanai, 132
Crataegus
crus-galli, 407, 410
marshallii, 400, 403–405
mollis, 403, 410
viridis, 401, 403, 404, 410
Cratogeomys
castanops, 250, 251
fumosous, 249
goldmani, 250, 251
gymnurus, 249–251
neglectus, 249–252
tylorhinus, 249–251
zinseri, 249
Cratoneuron filicinum, 228
Crawford, Clifford S., see Ellis, Lisa M., —
Crematogaster
cerasi, 460, 465, 468
laeviuscula, 120
Cross, Chad L., and Peter M. Waser, Estimating population size in the banner-tailed kangarro rat, 176–183
Crossidium
aberrans, 228
crassinerve, 228
griseum, 229
seriatum, 229
spatulaefolium, 228
squamiferum, 229
Crotalus atrox, 74
Croton, 89, 90, 92, 93
capitatus, 18, 19, 435, 441
monanthogynus, 95, 102, 103, 413, 417
punctatus, 433, 434, 436–438, 441
Crotonopsis elliptica, 414
Crumia latifolia, 229
Crustacea, 111–117
Cruz, Alexander, see Chace, Jameson F., —
Cryptoglossa

laevis, 308–311
verrucosus, 309
Cryptophagidae, 464
Cryptophagus, 464
Cryptotis parva, 45, 49, 50
Cucujidae, 464
Cuculidae, 74–76
Cucurbita foetidissima, 47
Cupressus
lindelevi, 239
lindleyi, 239
Curculionidae, 358, 464
Cuscuta, 435, 441
attenuata, 420
Cuscutaceae, 441
Cutler, David, see Agrawal, Anurag A., —
Cyanocitta stelleri, 173
Cyclosternum, 299, 302
obscurum, 304
palomeranum, 301, 303, 304
Cyclotrachelus, 463
Cymus coriacipennis, 463
Cynodon dactylon, 387, 388, 392, 416
Cynoscion xanthulus, 516, 520
Cyperaceae, 431, 436, 440, 441
Cyperus, 411, 415
aristata, 417
echinatus, 435
esculentus, 435, 441
retrorsus, 441
schweinitzi, 412
schweinitzii, 409
Cyprinella
lutrensis, 277, 278, 280, 285
venustra, 277, 278, 280, 285
Cyprinodon, 517
bovinus, 521
macularis, 514, 516
Cyprinodontidae, 517
Cyprinus carpio, 278, 285

Dactyloa frenatus, 360
Dalea
enneandra, 217
villosa, 408
Danthonia spicata, 401, 405, 406
Dasylirion leiophyllum, 339
Dasyochloa pulchellum, 444
Dasypus novemcinctus, 473
Dean, Kurt L., see Swanson, David L., —
Delphacidae, 463
Demarais, Stephen, see Root, J. Jeffrey, —
Demastes, James W., see Monterrubio, Tiberio, —
Demography of an insular endemic rodent, *Peromyscus maniculatus santacruzae*, on Santa Cruz Island, Rick L. Mayfield, Dirk Van Vuren, and Michael L. Johnson, 508–513
Dendrocygna
autumnalis, 234–238
bicolor, 234–238
javanica, 235
Dendroica
caerulescens, 163, 165
coronata, 163, 164
fusca, 163
magnolia, 163
nigrescens, 163
palmarum, 163
pensylvanica, 163, 165
petechia, 163, 164
townsendi, 163
Dendrortyx barbatus, 238–241
Dens and den sites of the swift fox, Victoria L. Jackson and Jerry R. Choate, 212–220
Dermanura
phaeotis, 344
watsoni, 344
Dermestidae, 464
Deschampsia danthanoides, 112
Desmatodon convolutus, 231
Desmodium glutinosum, 401, 402
Desmodus rotundus, 344
Diapriidae, 465
Dichanthelium
oligasanthes, 419
oligosanthes, 412
scoparium, 388, 390, 416
Dicranophoridae, 369
Dicranophoroides caudatus, 369
Dicranophorus
forcipatus, 369
robustus, 369, 371, 372
uncinatus, 369
Dicranoweisia crispula, 229
Dictyna subulata, 462
Dictynidae, 462
Didymodon
australasiae, 229
nevadensis, 229
tophaceus, 229
vinealis, 229
Dietary analysis of helmeted basilisks, *Corytophanes* (Reptilia: Corytophanidae), Mahmood Sasa and Juan Salvador Monrós, 358–361
Digitaria sanguinalis, 417, 419
Dimorphocarpa palmeri, 408
Diodia teres, 92, 93, 420
Dioscorea floribunda, 79
Diosporos riojae, 424, 425
Diospyros
nicaraguensis, 79
texana, 97, 105
virginiana, 392, 410, 412
Dipleuchlanis elegans, 367, 368, 370, 372
Dipodomys, 490–507
agilis, 494, 495, 498, 501, 503
californicus, 494, 495, 497, 498, 500–504
compactus, 494, 495, 497, 498, 501–503
deserti, 494, 495, 497, 498, 500, 501, 503, 504
elator, 491
elephantinus, 502
gravipes, 491, 494, 495, 497, 498, 500, 501, 503
heermanni, 206, 494, 495, 497, 498, 500, 501, 504
ingens, 494, 495, 497, 498, 501, 503
insularis, 502
merriami, 182, 494, 495, 497, 499, 500–504, 533, 534
microps, 494, 496, 499, 500, 501, 504
nelsoni, 491, 494, 496, 497, 499 500, 501
nitratoides, 494, 496, 497, 499, 500, 501, 504
ordii, 45, 48–51, 182, 494, 496, 497, 499, 500–504, 533, 534
panamintinus, 494, 496, 499, 500–502, 504
phillipsii, 494, 496, 497, 499, 500–502
simulans, 494, 496, 499, 500, 501, 503, 504, 505
spectabilis, 176–183, 494, 497, 500, 501, 504
stephensi, 491, 502
venustus, 494, 497, 500–502
Dispersal characteristics of young bobcats from northeastern Kansas, Jan F. Kamler, Philip S. Gipson, and Trisha R. Synder, 543–546
Distichium inclinatum, 229
Distichlis spicata, 386, 409, 414, 415, 420
Distribution and population status of mountain lions in southwestern Arizona, Stephen S. Germaine, Kirby D. Bristow, and Lisa A. Haynes, 333–338
Dixon, James R., R. Kathryn Vaughan, and Larry David Wilson, The taxonomy of *Tantilla rubra* and allied taxa (Serpentes: Colubridae), 141–153
Dixon, Michael T., see Higginbotham, Jana L., —
Dodecatheon meadia, 413
Dorosoma
cepedianum, 278, 280, 282
petenense, 277, 278, 282, 284
Dorymyrmex insana, 465
Draba cuneifolia, 103
Drassyllus, 462
Dryopteris marginalis, 410
Dudley, Robert K., and William J. Matter, Effects of small green sunfish (*Lepomis cyanellus*) on recruitemnt of Gila chub (*Gila intermedia*) in Sabino Creek, Arizona, 24–29

Echinacea pallida, 412, 413
Echinocactus texensis, 391
Echinocereus
caespitosa, 414

reichenbachii, 387
Echinochloa
crus-galli, 388, 415, 417, 418
muricata, 415
Echinodorus rostratus, 417, 419
Echolocation calls and a noteworthy record of *Pteronotus gymnonotus* (Chiroptera, Mormoopidae) from Tabasco, Mexico, Carlos Ibáñez, Ricardo Lopez-Wilchis, Javier Juste B., and Miguel Angel León-Galván, 345–347
Eclipta alba, 415
Ectopistes migratorius, 258
Ectopsocidae, 463
Edrotes
arens, 311
barrowsi, 308–311
ventricosus, 309–311
Eitniear, Jack C., Sergio Aquilar R., Victor Gonzalez, Roberto Pedraza R., and John T. Baccus, New records of bearded wood-partridge, *Dendrortyx barbatus*, (Aves: Phasianidae) in Mexico, 238–241
Elaeagnus angustifolia, 160, 457
Elateridae, 464
Eleocharis
acuminata, 415
caribaea, 437
geniculata, 441
macrostachya, 389, 414, 415, 418, 420
montevidensis, 415, 435, 441
obtusa, 439
tenuis, 415, 420
Eleodes
armatus, 309
extricatus, 464
fusiformis, 464
longicollis, 464
obsoletus, 464
sponsus, 464
suturalis, 464
Elephantopus caroliniana, 404
Elías-Gutiérrez, M., see Sarma, S. S. S., and —
Eliason, Julie J., see White, P. J., —
Ellis, Lisa M., Manuel C. Molles, Jr., Clifford S. Crawford, and Frederick Heinzelmann, Surface-active arthropod communities in native and exotic riparian vegetation in the middle Rio Grande Valley, New Mexico, 456–471
Elops affinis, 514, 516, 520
Elymus
canadensis, 411
pilosa, 401, 403
villosa, 403
virginicus, 400, 404
Embaphion, 464
depressa, 309
Empicoris orthoneuron, 463
Empidonax
fulvifrons, 173
traillii, 173
Encalypta
intermedia, 229
vulgaris, 229
Encelia farinosa, 451
Encentrum saundersiae, 369, 371, 372
Engelmannia pinnatifida, 402, 406, 409
Enhydra lutris, 322–328
Enriquebeltrania crenatifolia, 79
Enterolobium cyclocarpum, 302
Enteroplea lacustris, 369–372
Entosthodon
bolanderi, 228
planoconvexus, 229
wigginsii, 229
Eosphora
najas, 369
thoides, 369–372
Ephedra, 444
antisyphilitca, 391
nevadensis, 185
Eptesicus
furnalis, 342–344
fuscus, 350, 526
Equisetum laevigatum, 410
Eragrostis
curvula, 387, 388, 392, 416
hypnoides, 415, 419
lehmanniana, 90
secundiflora, 435, 437, 442
spectabilis, 419
Eremarionta immaculata, 450–455
Eremobates
arizonica, 443
bajadae, 445–447
kiseri, 447
marathoni, 447
mimbrenus, 448
mormonus, 447
nodularis, 445–447
norrisi, 447
pallipes 443, 445–448
palpisetulosus, 447
scaber, 448
similis, 445–447
simoni, 443, 445, 446, 448
zinni, 448
Eremochelis bilobatus, 445–448
Eremorhax gigasellus, 445, 446, 448
Erethizon dorsatum, 335
Erigeron
canadensis, 419
modestus, 105
procumbens, 435, 437, 441
Eriocaulon kornickianum, 416
Eriogonum
annuum, 409, 412
jamesii, 414
Erioneurin
pilosum, 105
pulchellum, 315, 316
Eryngium
leavenworthii, 413
yuccifolium, 411, 412
Escalente-Pliego, Patricia, see Macouzet, Tania M., and —
Estimating population size in the banner-tailed kangaroo rat, Chad L. Cross and Peter M. Waser, 176–183
Etheostoma spectabile, 279, 280, 282, 285
Euchlanidae, 368
Euchlanis
dilatata, 368
incisa, 368
Eucladium verticillatum, 229
Eucnemidae, 464
Euderma maculatum, 347–352
Euonymus atropurpurea, 400
Eupatorium
odoratum, 15
serotinum, 18, 19, 408, 411
Euphorbia
cyathophora, 103
marginata, 414, 419
serpens, 103
Euphorbiaceae, 18, 95, 441
Eupsophulus castaneus, 309
Eurema nicippe, 289, 291–293, 295
Euryopis, 462
Eurypelma longipes, 128
Eusattus
difficilis, 309
dubius, 309, 311
muricatus, 308, 309, 311
Euschistus, 293
Euspilotus assimilis, 464
Eutamias, 173
Evax prolifera, 95, 102, 103
Evolvulus, 91–93

Fabaceae, 18, 290, 431, 436, 440, 441
Facultative mutualism between imported fire ants (*Solenopsis invicta*) and a legume (*Senna occidentalis*), Robert R. Fleet and Brenda L. Young, 289–298
Fagaceae, 411
Fagus grandifolia, 388, 400
Falcaustra catesbeianae, 362–365
Fallugia paradoxa, 67, 444
Fedynich, Alan M., see Beheler, Amanda S., —
Felis rufus, 206, 335
Fellers, Gary M., Predation on *Corynorhinus townsendii* by *Rattus rattus*, 524–527
Ferocactus cylindraceus, 451
Festuca
arundinacea, 388, 416
octoflora, 420
Ficken, Millicent Sigler, Call similarities among mixed species flock associates, 154–158
Ficus padifolia, 302
Fimbristylis, 434
caroliniana, 441

carolinianum, 435
castanea, 435, 437–439, 441
Finch, Deborah M., see Kelly, Jeffrey F., —
Fire and grazing on forbs in the western South Texas Plains, effect of, Donald C. Ruthven, III, James F. Gallagher, and David R. Synatzske, 89–94
Fisher, William L., see Paukert, Craig P., and —
Flaveria brownii, 431, 435, 436, 439, 441
Fleet, Robert R., and Brenda L. Young, Facultative mutualism between imported fire ants (*Solenopsis invicta*) and a legume (*Senna occidentalis*), 289–298
Flourensia cernua, 315
Foeniculum vulgare, 508
Fontinalis antipyretica, 229
Forestiera
acuminata, 388, 411
angustifolia, 339
neomexicana, 166, 458
pubescens, 402, 406, 409
Formica, 465
Formicidae, 359, 459, 465
Fouquieria splendens, 339
Fraxinus
americana, 400, 404
pennsylvanica, 400–404, 408
quadrangulata, 390
texensis, 402, 405, 409
velutina, 171, 172, 268
French, Victor E., see Nelson, Allan D., —
Froelichia floridana, 407
Fugate, Michael, see Belk, Denton, and —
Funaria hygrometrica, 229
Fundulus
notatus, 277, 279, 280, 282, 285
parvipinnis, 516, 520
zebrinus, 274, 279, 285–287

Gaillardia
pulchella, 435, 441
pulchellum, 409
Galium
aparine, 400
virgatum, 95, 102, 103
Gallagher, James F., see Ruthven, Donald C., III, —
Gambusia
affinis, 279, 280, 285, 521–522
holbrooki, 262, 522
Gardena elkinsi, 463
Gastropoda, 450–455
Geluso, Keith, Distribution of the spotted bat (*Euderma maculatum*) in Nevada, including notes on reproduction, 347–352
Genealogy of a hybrid *Cnemidophorus* (Sauria: Teiidae) from the valley of the Rio Conchos, Chihuahua, Mexico, James M. Walker, James E. Cordes, Harry L. Taylor, and Fernando Mendoza Quijano, 527–533
Genetic attributes of a declining population of reintroduced eastern wild turkeys (*Meleagris gallopavo silvestris*), Stephanie A. Harmon and Ronald A. Van Den Bussche, 258–266
Genetic polymorphism in two species of whistling-ducks from Texas, Amanda S. Beheler, Rod N. Williams, Olin E. Rhodes, Jr., Erin P. Reat, Alan M. Fedynich, Danny B. Pence, and James F. Bergan, 234–238
Gentianaceae, 441
Geococcyx californianus, 74–76
Geothlypis trichas, 163
Geothypis trichas, 164
Germaine, Stephen S., Kirby D. Bristow, and Lisa A. Haynes, Distribution and population status of mountain lions in southwestern Arizona, 333–338
Gila
bicolor, 516, 520
cypha, 516, 520
elegans, 514, 516, 520
intermedia, 24–29
robusta, 28, 516, 520
Gilia incisa, 103
Gipson, Philip S., see Kamler, Jan F., —
Gipson, Philip S., see Matlack, Raymond S., —
Glaucidium gnoma, 155
Gleditsia triacanthos, 403–405
Glossophaga soricina, 344
Glypthelmins quieta, 362–365
Gnaphosa, 462
Gnaphosidae, 462, 467
Gobalet, Kenneth W., and Thomas A. Wake, Archaeological and paleontological fish remains from the Salton Basin, southern California, 514–520
Goetze, Jim R., see Nelson, Allan D., —
Goldberg, Stephen R., Charles R. Bursey, and James E. Platz, Helminths of the plains leopard frog, *Rana blairi* (Ranidae), 362–366
Gonzalez, Victor, see Eitniear, Jack C., —
Gorchov, David L., see Jones, F. Andrew, and —
Gorgoderina
attenuata, 363
simplex, 362–365
Gorin, Jessica B., see Agrawal, Anurag A., —
Gould, Georgianna G., and Merrill H. Sweet, II, The host range and oviposition behavior of *Ochrimnus mimulus* (Hemiptera: Lygaeidae) in central Texas, 15–23
Grimmia
affinis, 229
alpestris, 229
anodon, 229
apocarpa, 230
atricha, 230
calyptrata, 228
decipiens, 229
laevigata, 229
orbicularis, 229
ovalis, 229
pulvinata, 229
stricta, 230
trichophylla, 229
wrightii, 230
Grimmiaceae, 228
Grus
canadensis, 76–79
leucogeranus, 261
Gryllidae, 359, 463
Gryllus alogus, 463, 465
Gutierrezia sarothrae, 388
Gymnopogon ambiguus, 407, 419

Habia
fuscicauda, 80
rubica, 80
Habrocestum, 462
Habronattus, 462
Haematoloechus
complexus, 362–365
longiplexus, 363
medioplexus, 363
Haematoxylon campechianum, 340
Hafner, Mark S., see Monterrubio, Tiberio, —
Halloran, Margaret E., and Marc Bekoff, Home range use by Abert squirrels: a comparative analysis, 253–257
Hamamelis
vernalis, 410
virginicus, 402
Hanson, Michael T., see White, P. J., —
Hapalopus
aldanus, 299–302
formosus, 302
Haplodrassus, 462
Haplopappus ciliata, 419
Harmon, Stephanie A., and Ronald A. Van Den Bussche, Genetic attributes of a declining population of reintroduced eastern wild turkeys (*Meleagris gallopavo silvestris*), 258–266
Harpalus pennsylvanicus, 463
Harpalyce arborescens, 421, 424, 425, 427
Harveson, Louis A., Michael E. Tewes, Nova J. Silvy, and Jimmy Rutledge, Prey use by mountain lions in southern Texas, 472–476

Harveson, Louis A., see Walker, Christopher W., —
Hass, Christine C., and Jason F. Roback, Copulatory behavior of white-nosed coatis, 329–331
Hatfield, Brian B., see Rathbun, Galen B., —
Haynes, Lisa A., see Germaine, Stephen S., —
Hedeoma
acinoides, 103
drummondii, 105
Hedyotis nigricans, 413
Hein, Eric W., and Orrin B. Myers, The effect of surveyor experience on frequency of recapture in pierid butterflies, 67–69
Heinzelmann, Frederick, see Ellis, Lisa M., —
Helenium amarum, 412
Helianthus
annuus, 17, 47, 418, 419
hirsutus, 18, 19, 401, 402, 405, 409, 413
mollis, 412
petiolaris, 89, 92, 93, 419
Heliconius ismenius, 296
Heliotropium, 106
curassavicum, 437
curvassavicum, 414
tenellum, 95, 96, 102–104, 413
Helminths of the plains leopard frog, *Rana blairi* (Ranidae), Stephen R. Goldberg, Charles R. Bursey, and James E. Platz, 362–366
Hemerotrecha
elpasoensis, 447
fruitana, 443, 445–448
Hemiptera, 15–23
Hemirrhagus, 302
Henke, Scott E., and Steven A. Smith, Use of aluminum foil balls to determine home ranges of woodrats, 352–355
Heracleum lanatum, 18
Herbertia lahue, 232–234
Hernández-Huerta, Arturo, Vinicio J. Sosa, J. Marcelo Aranda, and Joaquín Bello, Records of small mammals in the Calakmul Biosphere Reserve, Yucatán Peninsula, 340–344
Hesperiidae, 3
Heteranthera limosa, 418
Heteromeles arbutifolia, 124, 509
Heteromyidae, 490–507
Heteromys
desmarestianus, 342
gaumeri, 342
Heterotheca, 18, 19
subaxillaris, 431, 434–436, 438, 439, 441
Hibiscus laevis, 411, 416–419
Higginbotham, Jana L., Michael T. Dixon, and Loren K. Ammerman, Yucca provides roost for *Lasiurus xanthinus* (Chiroptera: Vespertilionidae) in Texas, 338–340
Hilaria
berlangeri, 105
jamesi, 444
jamesii, 406, 414
mutica, 315, 316
ridiga, 185
Himantopus mexicanus, 523–524
Hiodon alosoides, 278
Hirundo
pyrrhonota, 477, 480
rustica, 477–482
Histeridae, 464
Hjelle, Brian L, see Biggs, James R., —
Hoagland, Bruce, The vegetation of Oklahoma: a classification for landscape mapping and conservation planning, 385–420
Holte, Aurali E., and Marilyn A. Houck, Juvenile greater roadrunner (Cuculidae) killed by choking on a Texas horned lizard (Phrynosomatidae), 74–76
Home range use by Abert squirrels: a comparative analysis, Margaret E. Halloran and Marc Bekoff, 253–257
Homolocranium boulengeri, 142
Honeycutt, Rodney L., see Walker, Christopher W., —
Hordeum
jubatum, 412, 414, 419
marinum, 112
pusillum, 435, 442
Host range and oviposition behavior of *Ochrimnus mimulus* (Hemiptera: Lygaeidae) in central Texas, the, Georgianna G. Gould and Merrill H. Sweet, II, 15–23
Houck, Marilyn A., see Holte, Aurali E., and —
Houstonia subviscosa, 434, 442
Hubbs, Clark, Survival of *Gambusia affinis* in a hostile environment, 521–522
Huenneke, Laura F., see Miller, Richard E., and —
Husak, Michael S., Seasonal variation in territorial behavior of golden-fronted woodpeckers in west-central Texas, 30–38
Hybanthus verticillatus, 105
Hybognathus placitus, 278, 286, 287
Hydrangea arborescens, 410
Hydrilla, 366
Hydrocotyle
bonariensis, 434, 435, 437, 441
umbellata, 405
verticillata, 411
Hygrohypnum luridum, 229
Hymenoxys scaposa, 413
Hypericum
densiflorum, 400
hypericoides, 405
prolificum, 405, 410
Hypnum revolutum, 229
Hypoponera, 465
Hypoxis hirsuta, 413

Ibáñez, Carlos, Ricardo Lopez-Wilchis, Javier Juste B., and Miguel Angel León-Galván, Echolocation calls and a noteworthy record of *Pteronotus gymnonotus* (Chiroptera, Mormoopidae) from Tabasco, Mexico, 345–347
Ictaluridae, 271
Ictalurus punctatus, 279
Icteria virens, 163
Ictiobus
bubalus, 278
cyprinellus, 278
Ilex
decidua, 400, 402–405
opaca, 400, 404, 405
Impatiens capensis, 408
Imported fire ants impact canopy arthropods? Evidence from simple arboreal pitfall traps, do, Michael Kaspari, 118–122
Indigofera miniata, 433–435, 437, 441
Ipomoea, 433
imperati, 431, 434, 436–439, 441
pes-caprae, 434, 436–438, 441
Iridaceae, 441
Itura
aurita, 369
myersi, 369
Iva
angustifolia, 434, 435, 441
annua, 388, 390, 420
axillaris, 413, 414
ciliata, 415

Jackson, Victoria L., and Jerry R. Choate, Dens and den sites of the swift fox, 212–220
Jaffueliobryum
raui, 229
wrightii, 229
Jaguars in Arizona and New Mexico, notes on the occurrences of, David E. Brown and Carlos A. López González, 537–542
Jefea brevifolia, 339
Johnson, Mary P., see Nelson, Allan D., —
Johnson, Michael L., see Mayfield, Rick L., —
Johnson, Stephen R., Observations on an autumn flowering population of prairie nymph (*Herbertia lahue* ssp. *caerulea*) in southwestern Louisiana, 232–234
Jones, F. Andrew, and David L. Gor-

chov. Patterns of abundnce and human use of the vulnerable understory palm, *Chamaedorea radicalis* (Arecaceae), in a montane cloud forest, Tamaulipas, Mexico, 421–430
Jorgensen, Eric E., see Root, J. Jeffrey, —
Juglans
major, 8, 9, 170
microcarpa, 404
nigra, 392, 400, 404
Juncaceae, 441
Juncus
effusus, 415, 416, 418
interior, 416
scripoides, 435, 441
torreyi, 415, 417
Juniperus, 35, 95–110
ashei, 97, 105, 119, 386, 388, 390, 392, 406
deppeana, 8, 9, 12, 171, 172
monosperma, 386, 388, 406, 444
osteosperma, 314, 350
pinchotii, 31, 386, 388, 391, 392, 406, 413
scapulorum, 39, 40, 172
virginiana, 46, 388, 392, 405, 407, 417
Jurado, Enrique, see Rojas Agil, Mara, —
Jussiaea peploides, 417, 418
Juste B., Javier, see Ibáñez, Carlos, —
Justicia americana, 415–419
Juvenile greater roadrunner (Cuculidae) killed by choking on a Texas horned lizard (Phrynosomatidae), Aurali E. Holte and Marilyn A. Houck, 74–76

Kamler, Jan F., Philip S. Gipson, and Trisha R. Snyder, Disperal characteristics of young bobcats from northeastern Kansas, 543–546
Kaspari, Michael, Do imported fire ants impact canopy arthropods? Evidence from simple arboreal pitfall traps, 118–122
Kaufman, Donald W., Glennis A. Kaufman, and Bryon K. Clark, Small mammals in native and anthropogenic habitats in the Lake Wilson area of north-central Kansas, 45–60
Kaufman, Donald W., see Matlack, Raymond S., —
Kaufman, Glennis A., see Kaufman, Donald W., —
Kelly, Jeffrey F., Deborah M. Finch, and Wang Yong, Vegetative associations of wood warblers migrating along the Middle Rio Grande Valley, New Mexico, 159–168
Keratella
americana, 367, 368
cochlearis, 367, 368
serrulata, 368
tropica, 367, 368
Kochia scoparia, 46, 388, 414, 419
Köhler, Gunther, see McCranie, James R., and —
Kopachena, Jeffrey G., Anthony J. Buckley, and Greg A. Potts, Effect of the red imported fire ant (*Solenopsis invicta*) on reproductive success of barn swallows (*Hirundo rustica*) in Northeast Texas, 477–482
Krausman, Paul R., see Zine, Matthew J., and —

Labiatae, 95
Labidesthes sicculus, 274, 277, 279, 282, 285–287
Lactuca
canadensis, 417
serriola, 47
Laemanctus serratus, 360
Laguncularia racemosa, 79
Lampropeltis pyromelana, 173
Lantana urticoides, 438
Lapadella
apsida, 367
triba, 367
Laportea canadensis, 410
Larrea, 458
divaricata, 451
tridentata, 185, 226, 313–321, 444
Lasionycteris noctivagans, 350
Lasiorhinus krefftii, 261
Lasiurus
blossevillii, 338
borealis, 338
cinereus, 338, 350
ega, 338
intermedius, 338
xanthinus, 338–340
Lasius, 465
Lathraea clandestina, 4
Lathridiidae, 464
Latrodectus, 462
Leal Ríos, Fernando, see Rojas Agil, Mara, —
Lecane
bulla, 368
closterocerca, 368
elsa, 367, 368, 370–372
hamata, 368
inermis, 368
ludwigi, 367, 368, 370–372
luna, 368, 372
lunaris, 368
nana, 368, 370, 371
pyriformis, 367, 368
quadridentata, 367, 368
stokesi, 368, 370, 371
tenuiseta, 368
unguitata, 368, 370–372
Lecanidae, 367, 368, 372
Leersia oryzoides, 417, 418
Lemna
minor, 405, 416–419
valdiviana, 418
Lemos-Espinal, Julio A., see Smith, Geoffrey R., —
León-Galván, Miguel Angel, see Ibáñez, Carlos, —
Leon-Paniagua, Livia, see Monterrubio, Tiberio, —
Lepadella
apsida, 368, 370, 372
ovalis, 367, 368
patella, 367, 368
rhomboides, 368
triba, 368, 370, 372
triptera, 368
Lepidocaryum tenanii, 427
Lepismatidae, 463
Lepisosteus
oculatus, 278
osseus, 278
platostomus, 278
Lepitocneneplatio sericea, 309
Lepomis
cyanellus, 24–29, 271, 277, 279, 280, 285
gulosus, 279
humilis, 279
macrochirus, 279, 280, 285
megalotis, 279, 280
microlophus, 277, 279, 285
Leptochloa fascicularis, 388, 389, 415, 418
Leptodictyum
humile, 230
trichopodium, 230
Leptogenys elongata, 119
Leptoloma cognatum, 105
Leptothorax pergandei, 465
Lepus, 335
californicus, 206, 473
Leslie, David M., Jr., G. Keith Woods, and Tracy S. Carter, Productivity of endangered least terns (*Sterna antillarum athalassos*) below a hydropower and flood-control facility on the Arkansas River, 485–489
Lespedeza
cuneata, 388, 418
procumbens, 401
sericea, 420
stipulacea, 419
Lesquerella
argyraea, 91–93
gordonii, 411, 413, 417
ovalifolia, 413, 417
recurvata, 103
Leucophyllum, 339
Leucospora multifida, 417
Liatris punctata, 413
Lienesch, Philip W., William I. Lutterschmidt, and Jacob F. Schaefer, Seasonal and long-term changes in the fish assemblage of a small

stream isolated by a reservoir, 274–288
Liknes, Eric T., see Swanson, David L., —
Limnodea arkansana, 103
Limonium carolinianum, 431, 434, 435, 438, 439, 442
Lindera benzoin, 401–404, 408
Lindia
torulosa, 369
truncata, 369
Lindiidae, 369
Linyphiidae, 462
Liquidambar styraciflua, 239, 400, 403–405, 424, 425, 427
Lithobiidae, 463
Lithospermum
incisa, 413
tenellum, 414
Lobelia cardinalis, 416
Lolium multiflorum, 112
Lomatium foeniculaceum, 413
López González, Carlos A., see Brown, David E., and —
Lopez-Wilchis, Ricardo, see Ibáñez, Carlos, —
Lophocharis salpina, 368
Ludwigia palustris, 415, 418
Lundquist, Carolyn J., see Agrawal, Anurag A., —
Lupinus, 509
Lutterschmidt, William I., see Lienesch, Philip W., —
Lycium carolinianum, 431, 434, 435, 439, 442
Lycosidae, 462, 467
Lygaeidae, 15–23, 463
Lynx rufus, 473, 474, 543–546
Lyonia ligustrina, 405
Lysiloma
divaricata, 304
latisiliqua, 79
latisiliquum, 340
Lythraceae, 441
Lythrum alatum, 435, 441

Machaeranthera
phyllocephala, 431, 434, 435, 439, 441
tanacetifolia, 414
Macke, Lashea M., see Nelson, Allan D., —
Maclura pomifera, 403
Macouzet, Tania M., and Patricia Escalante-Pliego, New records of birds from Cozumel Island, Mexico, 79–81
Macrhybopsis storeriana, 278
Macroderoididae, 69–71
Magnolia
acuminata, 400
dealbata, 239
schiedeana, 239
virginiana, 438
Mahonia trifoliolata, 31
Malacothamnus fasiculatus, 509
Male reproductive cycle of the knob-scaled lizard, *Xenosaurus grandis*, Geoffrey R. Smith, Royce E. Ballinger, and Julio A. Lemos-Espinal, 356–357
Mallos, 462
Mammals in native and anthropogenic habitats in the Lake Wilson area of north-central Kansas, small, Donald W. Kaufman, Glennis A. Kaufman, and Bryon K. Clark, 45–60
Mammals in the Calakmul Biosphere Reserve, Yucatán Peninsula, records of small, Arturo Hernández-Huerta, Vinicio J. Sosa, J. Marcelo Aranda, and Joaquín Bello, 340–344
Mammillaria vivipara, 105
Manilkara zapota, 79, 340
Mannia californica, 231
Marchantia polymorpha, 231
Marsilea vestita, 415, 418
Mastichodendron gaumeri, 79
Masticophis bilineatus, 173
Matlack, Raymond S., Philip S. Gipson, and Donald W. Kaufman, The swift fox in rangeland and cropland in western Kansas: relative abundance, mortality, and body size, 221–225
Matter, William J., see Dudley, Robert K., and —
Mayfield, Rick L., Dirk Van Vuren, and Michael L. Johnson, Demography of an insular endemic rodent, *Peromyscus maniculatus santacruzae*, on Santa Cruz Island, 508–513
McCranie, James R., and Gunther Köhler, Notes on the type series of *Bufo valliceps* Wiegmann, with the designation of a lectotype, 71–74
McKinney, Shawn T., see Chace, Jameson F., —
McNeely, David L. The Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Denton, Texas, Thursday, 20 April 2000, 547–552
McNeely, David L., The Southwestern Association of Naturalists minutes of the business meeting, Denton, Texas, Friday, 21 April 2000, 552–556
Megalodiscus temperatus, 362–365
Melampodium leucanthum, 105, 406, 414
Melanerpes
aurifrons, 30–38
carolinus, 30
erythrocephalus, 32
lewis, 35
uropygialis, 30
Meleagris gallopavo, 258–266
Melilotus
alba, 416
officinalis, 47
Meliosma alba, 424, 425, 427
Mendoza Quijano, Fernando, see Walker, James M., —
Menidia beryllina, 277, 279, 280, 282, 284–286
Mentzelia oligosperma, 417
Mephitis, 335
mephitis, 473, 474
mephitus, 204
Mercya latifolia, 229
Mesocestoides, 362–365
Metaponium, 309
Metopium brownei, 79, 340
Metoponium, 464
Micrarionta immaculata, 450
Microgramma nitida, 79
Micronycteris
brachyotis, 341, 342, 344
megalotis, 344
schmidtorum, 344
Micropterus
dolomieu, 28
punctulatus, 279
salmoides, 271, 279, 285
Microsatellite variation in two populations of mountain lions (*Puma concolor*) in Texas, Christopher W. Walker, Louis A. Harveson, Michael T. Pittman, Michael E. Tewes, and Rodney L. Honeycutt, 196–203
Microtus, 61, 62
californicus, 206
longicaudus, 63, 64
ochrogaster, 45, 48–51
Miller, Richard E., and Laura F. Huenneke, The relationship between density and demographic variation within a population of *Larrea tridentata*, 313–321
Mimon
bennettii, 344
crenulatum, 341, 343, 344
Mimosa bahamensis, 340
Mimulus glabratus, 418
Minytrema melanops, 278
Misumenops, 462
Mniotilta varia, 163
Mnium
arizonicum, 230
cupidatum, 230
Molles, Manuel C., Jr., see Ellis, Lisa M., —
Molossus ater, 342, 344
Molothrus, 169
aeneus, 173
ater, 44, 173
Monanthochloe littoralis, 431, 435, 438, 439, 442
Monarda fistulosa, 401
Monoanthochloe littoralis, 434

Monommata arndti, 369
Monomorium minimum, 291, 293, 460, 465, 468
Monrós, Juan Salvardor, see Sasa, Mahmood, and —
Monterrubio, Tiberio, James W. Demastes, Livia Leon-Paniagua, and Mark S. Hafner, Systematic relationships of the endangered Queretaro pocket gopher (*Cratogeomys neglectus*), 249–252
Moraceae, 332
Mormoopidae, 345–347
Mormoops megalophylla, 344, 345
Morone
chrysops, 279
saxatilis, 277, 279, 282
Morus rubra, 400, 404
Moxostoma
erythrurum, 277
erythurum, 278
Muehl, George T., see Anderson, James T., —
Mugil cephalus, 514, 516, 520
Muhlenbergia, 171
arenacea, 315, 316
porteria, 315, 316
reverchonii, 412, 413
torreyi, 413, 414
Muhlenbergii porteri, 185
Murphey, Thomas G., see Rathbun, Galen B., —
Mus musculus, 45, 49–51
Myers, Orrin B., see Hein, Eric W., and —
Mygalomorphae, 128–132, 299–305
Myosotis verna, 401, 402
Myotis
californicus, 339, 350
ciliolabrum, 350
keaysi, 344
vivesi, 526
volans, 350
Myrothecium, 21
Mystacina
robusta, 526
turberculata, 526
Mytilina
acanthopora, 368
mucronata, 368
ventralis, 368
Mytilinidae, 368

Nassella, 509
Nasturtium officinale, 388, 418
Nasua narica, 173, 329–331
Nectandra sanguinea, 424, 425, 427
Negrete, Irma G., see Nelson, Allan D., —
Neivamyrmex nigrescens, 465
Nelson, Allan D., Jim R. Goetze, Irma G. Negrete, Victor E. French, Mary P. Johnson, and Lashea M. Macke, Vegetational analysis and floristics of four communities in the Big Ball Hill region of Padre Island National Seashore, 431–442
Nelumbo lutea, 411, 416–418
Neotoma, 61, 352–355
albigula, 63, 64, 182
floridana, 45, 48–51, 352
fuscipes, 206, 525
mexicana, 63, 64
micropus, 352
Nest-site characteristics and nesting success of the greater pewee in Arizona, Jameson F. Chace, Shawn T. McKinney, and Alexander Cruz, 169–175
Nesting records of American avocet and black-necked stilt in Baja California Sur, México, Roberto Carmona, Cynthia Carmona, Alfredo Castillo-Guerrero, and Elvia M. Zamora-Orozco, 523–524
Nicrophorus, 464
Ninia, 359
Nocibiotes granulatus, 309
Norops capito, 360
Nostoc commune, 95, 96, 103, 105, 106
Notemigonus crysoleucas, 278
Notibus puberulus, 309
Notommata
aurita, 369, 371, 372
glyphura, 369
Notommatidae, 367, 369, 372
Notropis
atherinoides, 278, 280
bairdi, 278
blennius, 278
boops, 277, 278
buchanani, 274, 277, 278, 282, 285–287
potteri, 278, 286, 287
stramineus, 278, 286, 287
Nuphar lutea, 419
Nyctinomops macrotis, 339
Nymphaea odorata, 419
Nymphalidae, 3
Nyssa
biflora, 400, 404, 405
sylvatica, 403

O. sartorii, 239
Ochrimnus mimulus, 15–23
Odocoileous hemionus, 193
Odocoileus
hemionus, 335, 475
virginianus, 259, 472
Oenothera
canescens, 389, 414
drummondii, 433, 434, 436, 437, 441
laciniata, 435, 441
missouriensis, 417
triloba, 105
Olisthaerus, 464
Onagraceae, 441
Onychomys leucogaster, 45, 48–51
Ophiotaenia magna, 362–365
Oporornis
formosus, 163
philadelphia, 163, 165
tolmiei, 163, 164
Opuntia, 31, 339, 444
engelmanii, 386
engelmannii, 439
ficus-indica, 304
hemifusa, 413, 417
imbricata, 315, 406, 413, 414
leptocaulis, 406, 411
lindheimeri, 352
littoralis, 509
macrorhiza, 387, 413, 414, 434, 435, 438, 439, 441
polyacantha, 406, 411
Orbygna guacuyule, 302
Orchidaceae, 441
Orthotrichum
alpestre, 230
anomalum, 230
cupulatum, 230
hallii, 230
jamesianum, 230
laevigatum, 230
pellucidum, 230
pumilum, 230
rupestre, 230
Oryzopsis hymenoides, 444
Ostrya virginiana, 400, 401
Oswaldocruzia pipiens, 362–365
Otiorhynchus ovatus, 464
Otonyctomys hatti, 342, 343
Otus asio, 41
Ovis canadensis, 184–195, 335
Oxalis, 92, 83
dillenii, 105

Pachycereus pectin-aboriginum, 304
Palmer, Jeffrey S., see Swanson, David L., —
Panicum
amarum, 434, 436, 437, 442
anceps, 416
capillariodes, 433–435, 437, 442
obtusum, 413, 414
portoricense, 434, 435, 437, 442
virgatum, 47, 387, 403, 409, 411, 412, 415
Panthera onca, 537–542
Pappogeomys bulleri, 250, 251
Paratrechina terricola, 119
Pardosa, 462
Parietaria
obtusa, 103
pennsylvanica, 401
pensylvanica, 401
Parthenocissus quinquefolia, 400, 405, 410, 411
Pascopyrum smithii, 389, 413, 414
Paspalum
laeve, 412, 415

monostachyum, 431, 433, 434, 436, 437–439, 442
setaceum, 433–435, 437, 442
Passalidae, 358
Passiflora, 296
incarnata, 420
Patterns of abundance and human use of the vulernable understory palm, *Chamaedorea radicalis* (Arecaceae), in a montane cloud forest, Tamaulipas, Mexico, F. Andrew Jones and David L. Gorchov, 421–430
Paukert, Craig P., and William L. Fisher, Abiotic factors affecting summer distribution and movement of male paddlefish, *Polyodon spathula*, in a prairie reservoir, 133–140
Pecari tajacu, 335, 472
Pedraza R., Roberto, see Eitniear, Jack C., —
Pence, Danny B., see Beheler, Amanda S., —
Pennisetum ciliare, 433, 434, 442
Percine macrolepida, 279
Peritrechus fraternus, 463
Perognathus
flavescens, 56
flavus, 56
Peromyscus, 206
boylii, 63, 64
leucopus, 45, 48–51, 61–64
maniculatus, 45, 48–51, 61–64, 508–513, 525
truei, 63
Peropteryx macrotis, 341, 343, 344
Persistence of a walking-stick population (Phasmatoptera: Timematodea) after a wildfire, Cristina Sandoval, 123–127
Petalostemum purpurea, 411
Phascolarctos cinereus, 261
Phascum cuspidatum, 230
Phasianidae, 238–241
Phasmatoptera, 123–127
Pheidole, 465
dentata, 119, 120
hyatti, 120, 121
Pheucticus melanocephalus, 173
Philadelphus pubescens, 400
Philolithus actuosus, 309
Phoebis senna, 289, 291, 292, 295
Pholcidae, 462
Phragmites australis, 415
Phyrnosoma cornutum, 74–76, 93
Phrynosomatidae, 74–76
Phyla
cuneifolia, 389, 414
incisa, 105
nodiflora, 416, 434, 435, 437, 442
Phyllanthus polyaonoides, 105
Physalis cinerascens, 91–93, 433–435, 442
Physaloptera, 362–365
Physocyclus, 462
Picea, 174
Picoides
pubescens, 35, 154
scalaris, 32
Pieridae, 3
Pieris
napi, 67
protodice, 67
rapae, 67
Pimenta dioica, 132
Pimephales
promelas, 278, 280, 282, 285
vigilax, 278, 280
Pinus
cembroides, 172
chihuahuana, 171, 172
echinata, 405, 506
edulis, 8, 386, 388, 406, 444
greggi, 239
latifolia, 171, 172
monophylla, 314, 350
ponderosa, 8, 9, 12, 39, 40, 62, 67, 171, 172, 254, 388, 406
strobiformes, 171, 172
taeda, 387, 400, 405
Pipistrellus hesperus, 339, 350
Pirata, 462
Pithecellobium dulce, 79
Pittman, Michael T., see Walker, Christopher W., —
Pituophis melanoleucus, 173
Plagiomnium cuspidatum, 230
Planera aquatica, 404, 405
Plantaginaceae, 442
Plantago
helleri, 103
rhodosperma, 103
virginica, 435, 442
wrightiana, 420
Platanus
occidentalis, 402, 403, 410
wrightii, 170
Platydracus, 464
Platygeomys neglectus, 249
Platygyrium fuscoluteum, 230
Platyias quadricornis, 367, 368
Platz, James E., see Goldberg, Stephen R., —
Pleurochaete squarrosa, 228
Pluchea odorata, 411, 415, 416
Plumaginaceae, 442
Poaceae, 95, 431, 436, 440, 442
Podophyllum peltatum, 401
Podostemum ceratophyllum, 419
Poecile
atricapillus, 154, 157
hudsonicus, 157
sclateri, 154
Poecilia elongata, 516, 520
Poeciliidae, 517
Poeciliopsis
elongata, 520
occidentalis, 516
Poecilochroa, 462
Poecilus chalcites, 463
Pogonomyrmex, 177, 448
occidentalis, 465
Polyarthra dolichoptera, 369
Polydesmidae, 359, 360
Polygala alba, 92, 93, 406, 435, 442
Polygalaceae, 442
Polygonella americana, 407
Polygonum
amphibium, 416, 417, 419
hydropiperoides, 408, 411, 415, 417–419
lapathifolium, 415, 417, 418
pensylvanicum, 415, 417, 418
Polymnia canadensis, 410
Polyodon spathula, 133–140
Polypogon monospeliensis, 414, 415, 420
Polypremum procumbens, 103
Polytrichum commune, 388, 390, 416
Pomoxis annularis, 279
Pontederia cordata, 416
Populus, 169, 338
acuminata, 8
angustifolia, 8, 9, 12, 170
deltoides, 46, 402, 403, 408, 409, 457
fremonti, 268
fremontii, 160, 170, 171
tremuloides, 39
Porcellio laevis, 456, 460, 462
Porcellionidae, 462
Potamogeton
nodosus, 419
pectinatus, 417–419
Pottia nevadensis, 231
Potts, Greg A., see Kopachena, Jeffrey G., —
Precopulatory behavior of yellow-billed cuckoos, additional observations on, Jennifer K. Wilson, 535–536
Predation on *Corynorhinus townsendii* by *Rattus rattus*, Gary M. Fellers, 524–527
Prey use by mountain lions in southern Texas, Louis A. Harveson, Michael E. Tewes, Nova J. Silvy, and Jimmy Rutledge, 472–476
Primulaceae, 442
Proboscidea louisianica, 47
Procambarus actus, 69–71
Procyon lotor, 330, 335, 473
Procyonidae, 329
Productivity of endangered least terns (*Sterna antillarum athalassos*) below a hydropower and flood-control facility on the Arkansas River, David M. Leslie, Jr., G. Keith Woods, and Tracy S. Carter, 483–489
Proheteromys, 491
Prosopis, 304
glandulosa, 31, 89, 314, 352, 391, 411, 444, 472
juliflora, 406
Protonotaria citrea, 163
Prunus, 46

angustifolia, 407, 409, 410, 412
gracilis, 409
mexicana, 401, 402, 407
serotina, 97, 400
virginiana, 39
Pseudocrossidium crinitum, 230
Pseudoleskeella tectorum, 230
Pseudometapterus, 463
Pseudotsuga, 62
menziesii, 8, 9
menziesii, 39, 171, 525
Psilochorus, 462
Psilostrophe villosa, 406
Psoralea, 47
Pteronotus
davyi, 344, 345
gymnonotus, 345–347
parnellii, 344, 345
Pterygoneurum
ovatum, 230
subsessile, 230
Ptiliidae, 464
Ptinus fur, 463
Ptychocheilus lucius, 516, 520
Pueraria montana, 388, 409
Pulicidae, 460, 465
Pulmonata, 450–455
Puma concolor, 196–203, 333–338, 472–476
Puntelia bolliana, 172
Pylodictis olivaris, 279

Quedius, 464
Quercus, 206, 329
affinis, 239
agrifolia, 509
alba, 388, 390, 400–402, 405
buckleyi, 97, 390, 409
douglasii, 509
falcata, 400, 401
fusiformis, 97, 105, 119, 390, 406
gambelii, 8, 9, 39, 171, 406
germana, 421, 424, 425, 427
glaucoides, 97
grisea, 8
havardii, 409
hypoleucoides, 171, 172
incana, 388, 407
laurina, 239
lyrata, 404, 535
macrocarpa, 392, 401–404, 407
marilandica, 386, 387, 390, 391, 401, 402, 405–407
muehlenbergii, 388, 390, 400–404
nigra, 403–405
nuttallii, 535
palustris, 404
phellos, 403–405
reticulata, 171, 172
rubra, 400, 401, 403–405
shumardii, 387, 400–405
sinuata, 386, 390, 409
stellata, 386–388, 390, 391, 400–402, 405–407
texana, 402
tomentella, 509
trilobata, 406
turbinella, 444
velutina, 400, 401, 405
virginiana, 435, 438, 439, 441
virginianus, 31

R. cynosbati, 410
Rallus longirostris, 261
Rana
blairi, 272, 362–366
catesbeiana, 268, 271, 364
chiricahuensis, 272
clamitans, 364
magnocularis, 270, 271
palustris, 364
pipiens, 268, 364
sylvatica, 364
yavapaiensis, 267–273
Ranidae, 362–366
Ranunculus longirostris, 405, 418
Raphidophoridae, 463
Rapid viability loss in seeds of palmilla (*Chamaedorea radicalis* Mart.) from El Cielo Biosphere Reserve, Mara Rojas Agil, Enrique Jurado, Gerardo Sanchez-Ramos, Luisa Trejo-Hernández, and Fernando Leal Ríos, 373–375
Rathbun, Galen B., Brian B. Hatfield, and Thomas G. Murphey, Status of translocated sea otters at San Nicolas Island, California, 322–328
Ratibida
columnifera, 413
tagetes, 413, 458
Rattus
norvegicus, 526
rattus, 525, 526
Reat, Erin P., see Beheler, Amanda S., —
Recurvirostra americana, 523–524
Red imported fire ant (*Solenopsis invicta*) on reproductive success of barn swallows (*Hirundo rustica*) in Northeast Texas, effects of the, Jeffrey G. Kopachena, Anthony J. Buckley, and Greg A. Potts, 477–482
Reduviidae, 463
Regulus
calendula, 154
satrapa, 154
Reichenbachia, 464
Reichling, Steven B., and Rick C. West, A new species of tarantula spider (Araneae, Mygalomorphae, Theraphosidae) from the Cayo District of Belize, 128–132
Reithrodontomys
megalotis, 45, 48, 50, 51, 61–64, 206
montanus, 45, 48, 50
Relationship between density and demographic variation within a population of *Larrea tridentata*, the, Richard E. Miller and Laura F. Huenneke, 313–321
Reptilia, 358–361
Reticulitermes, 463
Rhabdias ranae, 362–365
Rhamnus
betulaefolia, 172
caroliniana, 401–404, 425
Rhinotermitidae, 463
Rhizophora mangle, 79
Rhodes, Olin E., Jr., see Beheler, Amanda S., —
Rhogeessa tumida, 344
Rhus
aromatica, 39, 40, 405–410, 412, 444
copallina, 387, 400, 410, 412
glabra, 405, 407, 409, 410, 412, 414, 417
trilobata, 172, 406
virens, 339
Rhynchosia
americana, 434, 435, 441
minima, 433–435, 441
Rhynchospora colorata, 441
Rhypodillus brevicollis, 464
Ribes, 39
curvatum, 410
Riccia sorocarpa, 231
Rico-Gray, Victor, see Serio-Silva, Juan C., and —
Roback, Jason F., see Hass, Christine C., and —
Robinia
neomexicana, 8, 172
pseudoacacia, 392, 407
Rojas Agil, Mara, Enrique Jurado, Gerardo Sanchez-Ramos, Luisa Trejo-Hernández, and Fernando Leal Ríos, Rapid viability loss in seeds of palmilla (*Chamaedorea radicalis* Mart.) from El Cielo Biosphere Reserve, 373–375
Root, J. Jeffrey, Eric E. Jorgensen, and Stephen Demarais, Soil texture uses by sympatric kangaroo rats on the White Sands dune complex, 533–535
Rosa
fendleri, 8
setigera, 410
Rosen, Philip C., see Sartorius, Shawn S., and —
Rotifers from Mexico: new records in high altitude ponds, S. S. S. Sarma and M. Elías-Gutiérrez, 366–373
Rubiaceae, 442
Rubus, 233, 402, 410
ostryifolius, 412
Rudgers, Jennifer A., see Agrawal, Anurag A., —
Ruellia humilis, 413, 417
Rumex altissimus, 415, 416

Ruthven, Donald C., III, James F. Gallagher, and David R. Synatzske, Effect of fire and grazing on forbs in the western South Texas Plains, 89–94
Rutledge, Jimmy, see Harveson, Louis A., —

Sabal minor, 403
Sabatia
arenicola, 435, 441
campestris, 435, 441
Saccopteryx bilineata, 344
Sagittaria latifolia, 418
Salicaeae, 442
Salicornia virginica, 431, 434, 435, 439, 441
Salix, 8, 12, 268, 338
amygdaloides, 411
caroliniana, 410
exigua, 160, 403, 408, 409, 411
gooddingii, 458
goodingii, 160
niger, 31
nigra, 402, 403, 408, 410, 411, 415, 435, 438, 439, 442
Salsola kali, 388, 419
Salticidae, 462
Salvia, 509
ballotaeflora, 105
Sambucus canadensis, 404
Samolus ebracteatus, 434, 435, 442
Sanchez-Ramos, Gerardo, see Rojas Agil, Mara, —
Sandoval, Cristina, Persistence of a walking-stick poulation (Phasmatoptera: Timematodea) after a wildfire, 123–127
Sapindus
drummondii, 402, 404, 407
saponaria, 31, 407, 425, 427
Sarma, S. S. S., and M. Elías-Gutiérrez, Rotifers from Mexico: new records in high altitude ponds, 366–373
Sartorius, Shawn S., and Philip C. Rosen, Breeding phenology of the lowland leopard frog (*Rana yavapaiensis*): implications for conservation and ecology, 267–273
Sasa, Mahmood, and Juan Salvador Monrós, Dietary analysis of helmeted basilisks, *Corytophanes* (Reptilia: Corytophanidae), 358–361
Sauria, 527–533
Scarabaeidae, 464
Scarabidae, 473
Scaridium longicaudum, 369
Scarites, 463
Schaefer, Jacob F., see Lienesch, Philip W., —
Schedonnardus paniculatus, 413
Schistidium apocarpum, 230
Schizachyrium scoparium, 47, 95, 103, 105, 387, 388, 390, 401, 402, 405–414, 417, 419, 435–439, 442
Schizopelma, 302
bicarinatum, 304
Schoenoplectus pungens, 434, 435, 437, 441
Schomburgkia tibicinis, 80
Scirpus
americana, 386, 414
americanus, 414, 415
fluviatilis, 416
paludosus, 415
tabernaemontani, 415, 416
Sciurus
aberti, 253–257
nayaritensis, 173
Scleropogon brevifolius, 315, 316
Scolopendridae, 463
Scraptiidae, 464
Scrophulariaceae, 442
Scutellaria drummondii, 103
Seasonal and long-term changes in the fish assemblage of a small stream isolated by a reservoir, Philip W. Lienesch, William I. Lutterschmidt, and Jacob F. Schaefer, 274–288
Seasonal variation in territorial behavior of golden-fronted woodpeckers in west-central Texas, Michael S. Husak, 30–38
Seasonality of *Alloglossoides carodicola* (Trematoda: Macroderoididae) infection in crayfish *Procambarus actus*, Hugh M. Turner, 69–71
Sedum nuttallianum, 103, 420
Seiurus
aurocapillus, 163
noveboracensis, 163
Selaginella peruviana, 420
Selenicereus testudo, 79
Selenophorus planipennis, 463
Senecio
glabellus, 404
riddellii, 433, 434, 441
Senna occidentalis, 289–298
Serio-Silva, Juan C., and Victor Rico-Gray, Use of a stream by Mexican howler monkeys, 332–333
Serpentes, 141–153
Sesbania drummondii, 437
Sesuvium
portulacastrum, 434, 438, 439, 441
verrucosum, 420
Setophaga ruticilla, 163, 165
Shyrapicus
nuchalis, 32
varius, 32
Sida
abutifolia, 95, 103, 105
procumbens, 414
Sigmodon hispidus, 45, 48, 50, 51
Silphidae, 464
Silvy, Nova J., see Harveson, Louis A., —
Sin nombre virus antibody prevalence in rodents of north-central New Mexico, James R. Biggs, Kathryn D. Bennett, Norah Torrez-Martinez, and Brian L. Hjelle, 61–66
Siphateles bicolor, 520
Sisyrinchium biforme, 434, 435, 441
Sitanion hystrix, 413
Sitticus, 462
Skartvedt, Peter H., Woody riparian vegetation patterns in the upper Mimbres watershed, southwestern New Mexico, 6–14
Small green sunfish (*Lepomis cyanellus*) on recruitment of Gila chub (*Gila intermedia*) in Sabino Creek, Arizona, effects of, Robert K. Dudley and William J. Matter, 24–29
Smilax
bona-nox, 407, 410, 412
rotundifolia, 410
Smith, Geoffrey R., Royce E. Ballinger, and Julio A. Lemos-Espinal, Male reproductive cycle of the knob-scaled lizard, *Xenosaurus grandis*, 356–357
Smith, Steven A., see Henke, Scott E., and —
Snyder, Trisha R., see Kamler, Jan F., —
Soil texture uses by sympatric kangaroo rats on the White Sands dune complex, J. Jeffrey Root, Eric E. Jorgensen, and Stephen Demarais, 533–535
Solanaceae, 442
Solanum
carolinense, 419
elaeagnifolium, 458
Solenopsis, 465
invicta, 118, 289–298, 477–482
wagneri, 118–122
Solicornia bigelovii, 435, 438, 441
Solidago
canadensis, 18–20
missouriensis, 412
Solpugids (Arachnida) of the Sevilleta National Wildlife Refuge, New Mexico, Jack O. Brookhart and Sandra L. Brantley, 443–449
Sonorella baboquivariensis, 454
Sophora tomentosa, 439
Sorex, 62–64
Sorghastrum nutans, 47, 222, 387, 411–413
Sorghum halepense, 388, 392, 410, 416, 417, 420
Sosa, Vinicio J., see Hernández-Huerta, Arturo, —
Southwestern Association of Naturalists minutes of the business meeting, Denton, Texas, Friday, 21 April

2000, the, David L. McNeely, 552–556
Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Denton, Texas, Thursday, 20 April 2000, the, David L. McNeely, 547–552
Spartina
patens, 434, 435, 437, 439, 442
pectinata, 415
Spermolepis inermis, 95, 102, 103
Spermophilus
beecheyi, 206
spilosoma, 182
tridecemlineatus, 45, 48, 50
Sphaeralcea
angustifolia, 458
coccinea, 413
Sphagnum subsecundum, 388, 390, 416
Spilogale, 335
gracilis, 508
Spinitectus gracilis, 362–365
Spiranthes vernalis, 44, 435, 441
Spirodela
polyrhiza, 418
polyrrhiza, 418
Spitzer, Brian W., see Agrawal, Anurag A., —
Splachnobryum obtusum, 230
Sporobolus, 47, 444
airoides, 386, 414
asper, 412–414, 417
cryptandrus, 408, 409, 414
flexuosus, 315, 316
tharpii, 431, 433, 434, 436, 439, 442
vaginaeflorus, 102, 103
virginicus, 431, 434, 435, 437–439, 442
Spotted bat (*Euderma maculatum*) in Nevada, including notes on reproduction, distribution of the, Keith Geluso, 347–352
Squatinella mutica, 367, 368, 370, 372
Staphylea trifoliata, 400, 401, 410
Staphylinidae, 464, 468
Staphylinus, 464
Stark, Lloyd R., and Alan T. Whittemore, Bryophytes from the northern Mojave Desert, 226–232
Steatoda borealis, 462
Stellaria media, 103
Stemodia lanata, 434, 435, 437, 442
Sterna antillarum, 483–489
Stream by Mexican howler monkeys, use of a, Juan C. Serio-Silva and Victor Rico-Gray, 332–333
Streptocephalus, 111
Strophostyles helvola, 18, 19
Sturnira lilium, 344
Sturnus vulgaris, 32
Suaeda
depressa, 420
linearis, 439, 441
Surface-active arthropod communities in native and exotic riparian vegetation in the middle Rio Grande Valley, New Mexico, Lisa M. Ellis, Manuel C. Molles, Jr., Clifford S. Crawford, and Frederick Heinzelmann, 456–471
Surveyor experience on frequency of recapture in pierid butterflies, the effect of, Eric W. Hein and Orrin B. Myers, 67–69
Survival of *Gambusia affinis* in a hostile environment, Clark Hubbs, 521–522
Sus scrofa, 472
Swann, Alisa L., see Agrawal, Anurag A., —
Swanson, David L., Jeffrey S. Palmer, Eric T. Liknes, and Kurt L. Dean, A breeding population of Virginia's warblers in the southwestern Black Hills of South Dakota, 39–44
Sweet, Merrill H., II, see Gould, Georgianna G., and —
Suaetenia, 132
macrophylla, 340
Swift fox in rangeland and cropland in western Kansas: relative abundance, mortality, and body size, the, Raymond S. Matlack, Philip S. Gipson, and Donald W. Kaufman, 221–225
Sylvilagus
audubonii, 206, 335
floridanus, 473
Symphoricarpos, 39
orbiculatus, 401, 403, 405, 407, 409, 412
Synaptomys cooperi, 45, 48, 50
Synatzske, David R., see Ruthven, Donald C., III, —
Synchaetidae, 369
Syntrichia
caninervis, 230
norvegica, 230
obtusissima, 230
princeps, 230
ruralis, 230
Systematic relationships of the endangered Queretaro pocket gopher (*Cratogeomys neglectus*), Tiberio Monterrubio, James W. Demastes, Livia Leon-Paniagua, and Mark S. Hafner, 249–252

Tacha, Thomas C., see Anderson, James T., —
Tadarida brasiliensis, 339, 350
Tamarix, 160, 338, 438, 456
chinensis, 388, 409, 411
ramosissima, 457
Tamiasciurus hudsonicus, 157, 256
Tantilla
boulengeri, 142, 150
cucullata, 141–144, 149–151
diabola, 141, 142, 144
miniata, 141–143, 148, 150, 151
miniator, 141, 142, 151
morgani, 141–143, 148, 150
phrenitica, 142, 150
rubra, 141–153
schistosa, 142
Tapinoma sessile, 460, 465, 468
Tarantula spider (Araneae, Mygalomorphae, Theraphosidae) from the Cayo District of Belize, a new species of, Steven B. Reichling and Rick C. West, 128–132
Targionia hypophylla, 228, 231
Targonia heterophylla, 231
Taxidea taxus, 206, 335, 473
Taxodium distichum, 386, 405
Taxonomy of *Tantilla rubra* and allied taxa (Serpentes: Colubridae), the, James R. Dixon, R. Kathryn Vaughan, and Larry David Wilson, 141–153
Taxus globosa, 239
Taylor, Harry L., see Walker, James M., —
Teiidae, 527–533
Telabis aliena, 309
Tenebrionid species richness and distribution in the Coachella Valley sand dunes (Coleoptera: Tenebrionidae), Cameron W. Barrows, 306–312
Tenebrionidae, 306–312, 459, 464
Testudinella
caeca, 369
patina, 469
Testudinellidae, 369
Teucrium canadense, 403, 408
Tewes, Michael E., see Harveson, Louis A., —
Tewes, Michael E., see Walker, Christopher W., —
Thalia dealbata, 416
Thalictrum dasycarpum, 400
Thamnophis elegans, 173
Thelesperma filifolia, 413, 414, 417
Theraphosidae, 128–132, 299
Theraphosids from western Mexico (Araneae, Mygalomorphae), some new, Rick C. West, 299–305
Theridiidae, 462
Thermus aquaticus, 250
Thomisidae, 462
Tidestromia lanuginosa, 435, 441
Tilapia mossambica, 516, 520
Tilia americana, 400, 401
Timema
californicum, 126
cristinae, 123–127
Timematodea, 123–127
Timmia megapolitana, 230
Tonatia

brasiliense, 341, 342, 344
evotis, 341, 343, 344
Torrez-Martinez, Norah, see Biggs, James R., —
Tortella tortuosa, 230
Tortula
acaulon, 230
atrovirens, 231
aurea, 230
bistratosa, 230
inermis, 231
mucronifolia, 231
nevadensis, 231
norvegica, 230
obtusissima, 230
princeps, 230
ruralis, 230
Toxicodendron radicans, 400, 402–406, 408–410, 412
Toxidendron radicans, 18
Tradescantia ozarkana, 400
Tragia ramosa, 103
Translocated sea otters at San Nicolas Island, California, status of, Galen B. Rathbun, Brian B. Hatfield, and Thomas G. Murphey, 322–328
Trejo-Hernández, Luisa, see Rojas Agil, Mara, —
Trematoda, 69–71
Trichiasida hirsutus, 309
Trichocerca
bicristata, 369
braziliensis, 369, 271, 372
longiseta, 469
tenuior, 369
tigris, 369
vernalis, 369
weberi, 369, 371, 372
Trichocercidae, 369
Trichostomum sweetii, 231
Trichotria
pocillum, 368
tetractis, 368
Trichotriidae, 368
Tridens flavus, 405, 410
Trifurica lahue, 232
Trillium pusillum, 402
Triodanis perfoliata, 103
Triorphus laevis, 309
Tripsacum dactyloides, 411, 412
Trisetum interruptum, 103
Trochosa, 462
Trogidae, 465
Trox
punctatus, 465
tuberculatus, 465
Turdus migratorius, 173
Turner, Hugh M., Seasonality of *Alloglossoides caridicola* (Trematoda: Macroderoididae) infection in the crayfish *Procambarus acutus*, 69–71
Turpina occidentalis, 425
Tympanuchus, 258
Type series of *Bufo valliceps* Wiegmann, with the designation of a lectotype, notes on the, James R. McCranie and Gunther Köhler, 71–74
Typha, 437
angustifolia, 415, 416
domingensis, 415, 416
latifolia, 410, 415–417, 419, 442
Typhaceae, 442
Typhus, 62
Tyrannus
tyrannus, 173
vociferans, 173
Tyranosaurus rex, 554

Ulmus, 46
alata, 387, 401, 402, 410
americana, 388, 400, 402–404, 407
crassifolia, 119, 403
pumila, 392, 407
rubra, 388, 400, 402–404
Ulus crassus, 309
Uma inornata, 306
Umbrelluria californica, 525
Uniola paniculata, 431, 433, 434, 436–439, 442
Urocyon
cinereoargeneteus, 206
cinereoargenteus, 335, 473
littoralis, 508
Ursus americanus, 258
Utricularia
biflora, 417–419
vulgaris, 417–419

Vaccinium
arborea, 401
arboreum, 401, 405
pallidum, 402, 405, 406
Vampyrum spectrum, 341, 342, 344
Van Auken, O. W., Characteristics of intercanopy bare patches in *Juniperus* woodlands of the southern Edwards Plateau, Texas, 95–110
Van Den Bussche, Ronald A., see Harmon, Stephanie A., and —
Van Vuren, Dirk, see Mayfield, Rick L., —
Variation in the dentition of kangaroo rats (genus *Dipodomys*) and its implications for the fossil record, Marc A. Carrasco, 490–507
Vaughan, R. Kathryn, see Dixon, James R., —
Vegetation of Oklahoma: a classification for landscape mapping and conservation planning, the, Bruce Hoagland, 385–420
Vegetational analysis and floristics of four communities in the Big Ball Hill region of Padre Island National Seashore, Allan D. Nelson, Jim R. Goetze, Irma G. Negrete, Victor E. French, Mary P. Johnson, and Lashea M. Macke, 431–442
Vegetative associations of wood warblers migrating along the Middle Rio Grande Valley, New Mexico, Jeffrey F. Kelly, Deborah M. Finch, and Wang Yong, 159–168
Verbena
bipinnatifida, 105
canescens, 105
cloverae, 91–93
rigida, 18, 19
Verbenaceae, 18, 442
Vermivora
celata, 80, 163, 164
luciae, 163
peregrina, 163
pinus, 163, 165
ruficapilla, 80, 163
virginiae, 39–44, 163, 164
Vernonia baldwinii, 415
Vespertilionidae, 338–340
Viburnum rufidulum, 401, 402, 407
Vireo
huttoni, 173
plumbeus, 173
Vitex gaumeri, 79
Vitis
acerifolia, 410, 411
arizonica, 8, 9
arizonica, 172
cinerea, 409, 410
vulpina, 408, 410
Volatinia jacarina, 80
Vulpes
macrotis, 204–211, 335
velox, 212–220, 221–225
vulpes, 205

Wake, Thomas A., see Gobalet, Kenneth W., and —
Walker, Christopher W., Louis A. Harveson, Michael T. Pittman, Michael E. Tewes, and Rodney L. Honeycutt, Microsatellite variation in two populations of mountain lions (*Puma concolor*) in Texas, 196–203
Walker, James M., James E. Cordes, Harry L. Taylor, and Fernando Mendoza Quijano, Genealogy of a hybrid *Cnemidophorus* (Sauria: Teiidae) from the valley of the Rio Conchos, Chihuahua, Mexico, 527–533
Waser, Peter M., see Cross, Chad L., and —
Weissia, 226
sweetii, 231
West, Rick C., see Reichling, Steven B., and —
West, Rick C., Some new theraphosids from western Mexico (Araneae, Mygalomorphae), 299–305

Wetland and deepwater habitat by wintering sandhill cranes in coastal Texas, use of, James T. Anderson, Thomas C. Tacha, and George T. Muehl, 76–79
White, P. J., William H. Berry, Julie J. Eliason, and Michael T. Hanson, Catastrophic decrease in an isolated population of kit foxes, 204–211
Whittemore, Alan T., see Stark, Lloyd R., and —
Wiesenborn, William D., Abundance and dispersion of shells of the white desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), 450–455
Williams, Rod N., see Beheler, Amanda S., —
Wilson, Jennifer K., Additional observations on precopulatory behavior of yellow-billed cuckoos, 535–536
Wilson, Larry David, see Dixon, James R., —
Wilsonia
canadensis, 80, 163, 165
citrina, 163
pusilla, 163, 164
Wimmeria concolor, 424, 425, 427
Woods, G. Keith, see Leslie, David M., Jr., —
Woodsia obtusa, 400
Woody riparian vegetation patterns in the upper Mimbres watershed, southwestern New Mexico, Peter H. Skartvedt, 6–14

Xanthium
pennsylvanicum, 47
strumarium, 418, 419
Xenosaurus
grandis, 356–357
newmanorum, 356, 357
Xyrauchen texanus, 514, 516, 520
Xysticus, 462

Yong, Wang, see Kelly, Jeffrey F., —
Young, Brenda L., see Fleet, Robert R., and —
Yucca
brevifolia, 185
carnerosana, 339
glauca, 47, 217, 406, 408, 411, 413, 444
treculeana, 438, 439, 441
Yucca provides roost for *Lasiurus xanthinus* (Chiroptera: Vespertilionidae) in Texas, Jana L. Higginbotham, Michael T. Dixon, and Loren K. Ammerman, 338–340

Zamora-Orozco, Elvia M., see Carmona, Roberto, —
Zanthoxyllum
caribaeum, 424, 425
clava-herculis, 404, 438
fagara, 90
hirsutum, 407
Zelotes
anglo, 462
laslanus, 462
Zexmenia hispida, 105
Zine, Matthew J., and Paul R. Krausman, Behavior of captive mountain sheep in a Mojave Desert environment, 184–195
Zinnia grandiflora, 414
Zizaniopsis miliacea, 410, 411, 415
Ziziphus obtusifolia, 31, 386, 391, 411
Zygophyllaceae, 314